


REVISIONS

Rev	Date	By	App	Description



TPI in 20 inches	
Body TPI	0.00000
Neck TPI	0.00000
Throat TPI	0.00000
Caliber	XXX
Bore Dia.	0.000
Groove Dia.	0.000
Basic Brass	XXX
Margin	.001/.003
Resize ND.	***


CLYMER Precision

1605 W. Hamlin Rd.
 Rochester Hills, MI 48309
 (248)853-5555

BELTED RIFLE BLANK	MIN CHAMBER	Date:	/ /
Scale:	None	Drawn:	
TOLERANCES (EXCEPT AS NOTED)		Checked:	XX
Diameters:	+ 0.0005	Design Source:	XXXX
Lengths:	+ 0.005	CARD #:	000-000-000
Angular:	+/- 15 minutes	PRINT #:	0000

PRINT TYPE: RIMMED RIFLE CUSTOMER: _____

CARTRIDGE NAME: _____ DATE: _____




TOLERANCES

DIAMETERS:	
NECK & THROAT	+0.0005
	-0.0000
ALL OTHER:	
	+0.001
	-0.0000
LENGTHS:	
	+0.005
	-0.000
ANGLES:	
	+/- 10'

R E V I S I O N S

Rev	Date	By	App	Description
	1/17	TW		RIMLESS RIFLE BLANK



TPI in 20 inches	
Body TPI	0.00000
Neck TPI	0.00000
Throat TPI	0.00000
Caliber	XXX
Bore Dia.	0.000
Groove Dia.	0.000
Basic Brass	XXX
Margin	.001/.003
Resize N.D.	***

CLYMER Precision

1605 W. Hamlin Rd.
 Rochester Hills, MI 48309
 (248)853-5555


RIMLESS RIFLE	MINIMUM CHAMBER	Date:	/ /
Scale:	None	Drawn:	.
TOLERANCES (EXCEPT AS NOTED)		Checked:	XX
Diameters:	+ 0.001	Design Source:	XXXX
Lengths:	+ 0.005	CARD #:	000-000-000
Angular:	+/- 15 minutes	PRINT #:	0000

RIMLESS PISTOL BLANK

CUSTOMER: _____

CARTRIDGE NAME: _____

DATE: _____



TOLERANCES

DIAMETERS: $+0.001$
 -0.000

LENGTHS: $+0.005$
 -0.000


ANGLES: $+/- 10'$

RIMMED PISTOL BLANK

CUSTOMER: _____

CARTRIDGE NAME: _____

DATE: _____



TOLERANCES

DIAMETERS:	+0.01 -0.000
LENGTHS:	+0.005 -0.000
ANGLES:	+/- 10'